


**NOTE:** Graphic files must be @ 150 dpi Finished Size.  
DO NOT send Flattened Files. Production can not manipulate  
the content, proportion or color of these files.

### Backwall Tension Fabric Graphic (Included)



**Finished Size:** 91"w x 81.75"h

**Live Area:** 90"w x 80.25"h

Sew 1/2" hook Velcro into front perimeter

**NOTE:** These dimensions are for graphic layout purposes.  
Graphic needs to be cut and test fitted to Sacagawea frame.



<b>Product Name:</b> VK-1230
<b>Process:</b> See Below
<b>Material:</b> See Below
<b>Effective Date:</b> 09/20/13

**NOTE:** Graphic files must be @ 150 dpi Finished Size.  
DO NOT send Flattened Files. Production can not manipulate  
the content, proportion or color of these files.

Single Sided: NO

Double Sided: YES

**Fabric Option**

Knit 9  
Unprinted Twill

**Print/Cut Size**

115" (w) X 38" (h)  
114" (w) X 38" (h)

**Final Size**

114" (w) X 19" (h)  
113" (w) X 19" (h)

**Zipper Length**


113.25"  
113.25"

**Sewing Instructions:**

Zipper sewn across top.  
Seam sides using a 1/2" seam.  
Test hang on frame.

**NOTE:** These dimensions are for graphic layout purposes.  
Graphic needs to be cut and test fitted to Sacagawea frame.

**NOTE:** Graphic files must be @ 150 dpi Finished Size.  
DO NOT send Flattened Files. Production can not manipulate the content, proportion or color of these files.



**Blue Area** indicates 3/4" bleed area around the counter and the monitor

Monitors can be positioned on left or right side of 10ft unit.


**NOTE:** When adding Monitors and Counters to the Sacagawea unit, portions of the graphic will be covered. Please design graphic layout according to suggested locations.  
-See Header Graphic Dims for header locations.\*

**NOTE:** These dimensions are for graphic layout purposes. Graphic needs to be cut and test fitted to Sacagawea frame.

<b>Product Name:</b> VK-1230
<b>Process:</b> Colossus 8-Color/ Direct Print
<b>Material:</b> 1/8" Sintra
<b>Effective Date:</b> 09/20/13

**NOTE:** Graphic files must be @ 150 dpi Finished Size.  
DO NOT send Flattened Files. Production can not manipulate  
the content, proportion or color of these files.


### Header Fabric Graphic



**Finished Size:** 44.98"w x 9.98"h  
**Live Area:** 43.48"w x 8.48"h

Add 3/4" bleed around perimeter  
 Sew 1/2" Velcro into front perimeter

### 1/4" Direct Print Header Graphic




**Finished Size:** 43.98"w x 8.98"h  
**Live Area:** 43.48"w x 8.48"h

Add 1/4" bleed around perimeter

**NOTE:** These dimensions are for graphic layout purposes.  
Graphic needs to be cut and test fitted to Sacagawea frame.

**NOTE:** Graphic files must be @ 150 dpi Finished Size.  
DO NOT send Flattened Files. Production can not manipulate  
the content, proportion or color of these files.



**NOTE:** When using headers with the Sacagawea unit a portion of the graphic will be covered.  
Please design graphic layout according to desired header shape and location.\*


**NOTE:** These dimensions are for graphic layout purposes.  
Graphic needs to be cut and test fitted to Sacagawea frame.

**NOTE:** Graphic files must be @ 150 dpi Finished Size.  
DO NOT send Flattened Files. Production can not manipulate the content, proportion or color of these files.

**A small portion of your graphic(s) may be hidden by monitor and counter. Please use these diagrams to position your graphics correctly.**

Convex Wing for P-Series

20' Unit includes (2) Bottom Panels and (2) Upper Panels



**NOTE:** These dimensions are for graphic layout purposes.  
Graphic needs to be cut and test fitted to Sacagawea frame.